



EUROPEAN MEDICINES AGENCY  
SCIENCE MEDICINES HEALTH

June 2021  
Information Technology  
EMA/396650/2016

## eAF DES Change Summary

Summary of DES changes applied to v.1.25.0.0



# eAF DES Change Summary

## Purpose

The aim of this document is to summarise the changes applied to the Data Exchange Standard covering variation and human forms for version 1.25.0.0 of the Electronic Application Forms.

It should be noted this document in no way replaces the current DES documents for each of the respective forms.

In all instances, and to facilitate understanding, an extract of the original schema definition is supplied, along with the updated version.

To enable cross reference to the release notes for 1.25.0.0, this document will reference the corresponding Change Request/defect reference number associated with the DES change.

## Change Requests

1. SD-403901
2. SD-121617
3. SD-179089

# eAF DES Change Summary

## For SD-403901

### a. For HUMAN

#### maa\_human XSD changes:

(This is part of maa\_human)

*Original:*

```
<xs:element name="Manufacturer-device">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Manu-device-checkbox" type="rdm:yes-no"/>
      <xs:element name="Manu-device-Yes-No" type="rdm:yes-no"/>
      <xs:element name="Manufacture-contact-details" type="rdm:contact-details"
type" minOccurs="1" maxOccurs="unbounded"/>
      <xs:element name="CE-mark" type="rdm:yes-no"/>
      <xs:element name="Device-identification" minOccurs="0" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Device-name" type="xs:string"/>
            <xs:element name="Device-description" type="xs:string"/>
            <xs:element name="Device-serial-no" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="Notified-body">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Add-certificates" type="rdm:yes-no"/>
            <xs:element name="Contact-details" minOccurs="1" maxOccurs="unbounded">
              <xs:complexType>
                <xs:complexContent>
                  <xs:extension base="rdm:contact-details-type">
                    <xs:sequence>
                      <xs:element name="Name" type="xs:string"/>
                      <xs:element name="Number" type="xs:string"/>
                    </xs:sequence>
                  </xs:extension>
                </xs:complexContent>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

*Changed to:*

```
<xs:element name="Medical-devices">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="Med-devices-checkboxes" maxOccurs="unbounded">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Med-devices-checkbox-a" type="rdm:yes-no"/>
```

## eAF DES Change Summary

```
<xss:element name="Med-devices-subSections-a" maxOccurs="unbounded">
  <xss:complexType>
    <xss:sequence>
      <!-- 2.2.4.1 -->
      <xss:element name="Device-name" type="xs:string"/>
      <xss:element name="Device-description" type="xs:string"/>
      <xss:element name="Device-purpose" type="xs:string"/>
      <xss:element name="Device-classification" type="rdm:radiobutton"/>
      <xss:element name="Device-serial-no" type="xs:string"/>
      <xss:element name="sterile" type="rdm:yes-no"/>
      <xss:element name="measuring_function" type="rdm:yes-no"/>
      <xss:element name="reusable" type="rdm:yes-no"/>
      <!-- 2.2.4.2 -->
      <xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>
      <!-- 2.2.4.3 -->
      <xss:element name="confirm-compliance" type="rdm:yes-no"/>
      <xss:element name="explain-no" type="xs:string"/>
      <xss:element name="specify-yes" type="rdm:radiobutton"/>
      <!-- 2.2.4.4 -->
      <xss:element name="Contact-details">
        <xss:complexType>
          <xss:complexContent>
            <xss:extension base="rdm:contact-details-type">
              <xss:sequence>
                <xss:element name="Telephone" type="xs:string"/>
                <xss:element name="Email" type="xs:string"/>
                <xss:element name="Number" type="xs:string"/>
              </xss:sequence>
            </xss:extension>
          </xss:complexContent>
        </xss:complexType>
      </xss:element>
    </xss:sequence>
  </xss:complexType>
</xss:element>
<xss:element name="Med-devices-checkbox-b" type="rdm:yes-no"/>
<xss:element name="Med-devices-subSections-b" maxOccurs="unbounded">
  <xss:complexType>
    <xss:sequence>
      <!-- 2.2.4.1 -->
      <xss:element name="Device-name" type="xs:string"/>
      <xss:element name="Device-description" type="xs:string"/>
      <xss:element name="Device-purpose" type="xs:string"/>
      <xss:element name="Device-classification" type="rdm:radiobutton"/>
      <xss:element name="Device-serial-no" type="xs:string"/>
      <xss:element name="sterile" type="rdm:yes-no"/>
      <xss:element name="measuring_function" type="rdm:yes-no"/>
      <xss:element name="reusable" type="rdm:yes-no"/>
      <!-- 2.2.4.2 -->
      <xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>
      <!-- 2.2.4.3 -->
      <xss:element name="confirm-compliance" type="rdm:yes-no"/>
      <xss:element name="explain-no" type="xs:string"/>
```

## eAF DES Change Summary

```
<xs:element name="specify-yes" type="rdm:radioButton"/>
<!-- 2.2.4.4 -->
<xs:element name="Contact-details">
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="rdm:contact-details-type">
        <xs:sequence>
          <xs:element name="Telephone" type="xs:string"/>
          <xs:element name="Email" type="xs:string"/>
          <xs:element name="Number" type="xs:string"/>
        </xs:sequence>
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

<xs:element name="Med-devices-checkbox-c" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-c" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <!-- 2.2.4.1 -->
      <xs:element name="Device-name" type="xs:string"/>
      <xs:element name="Device-description" type="xs:string"/>
      <xs:element name="Device-purpose" type="xs:string"/>
      <xs:element name="Device-classification" type="rdm:radioButton"/>
      <xs:element name="Device-serial-no" type="xs:string"/>
      <xs:element name="sterile" type="rdm:yes-no"/>
      <xs:element name="measuring_function" type="rdm:yes-no"/>
      <xs:element name="reusable" type="rdm:yes-no"/>
    <!-- 2.2.4.2 -->
    <xs:element name="Device-manufacturer" type="rdm:radioButton"/>
    <xs:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>
    <!-- 2.2.4.3 -->
    <xs:element name="confirm-compliance" type="rdm:yes-no"/>
    <xs:element name="explain-no" type="xs:string"/>
    <xs:element name="specify-yes" type="rdm:radioButton"/>
    <!-- 2.2.4.4 -->
    <xs:element name="Contact-details">
      <xs:complexType>
        <xs:complexContent>
          <xs:extension base="rdm:contact-details-type">
            <xs:sequence>
              <xs:element name="Telephone" type="xs:string"/>
              <xs:element name="Email" type="xs:string"/>
              <xs:element name="Number" type="xs:string"/>
            </xs:sequence>
          </xs:extension>
        </xs:complexContent>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
</xs:element>
```

## eAF DES Change Summary

```
<xs:element name="Med-devices-checkbox-d" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-d" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <!-- 2.2.4.1 -->
      <xs:element name="Device-name" type="xs:string"/>
      <xs:element name="Device-description" type="xs:string"/>
      <xs:element name="Device-purpose" type="xs:string"/>
      <xs:element name="Device-classification" type="rdm:radiobutton"/>
      <xs:element name="Device-serial-no" type="xs:string"/>
      <xs:element name="sterile" type="rdm:yes-no"/>
      <xs:element name="measuring_function" type="rdm:yes-no"/>
      <xs:element name="reusable" type="rdm:yes-no"/>
      <!-- 2.2.4.2 -->
      <xs:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xs:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>
      <!-- 2.2.4.3 -->
      <xs:element name="confirm-compliance" type="rdm:yes-no"/>
      <xs:element name="explain-no" type="xs:string"/>
      <xs:element name="specify-yes" type="rdm:radiobutton"/>
      <!-- 2.2.4.4 -->
      <xs:element name="Contact-details">
        <xs:complexType>
          <xs:complexContent>
            <xs:extension base="rdm:contact-details-type">
              <xs:sequence>
                <xs:element name="Telephone" type="xs:string"/>
                <xs:element name="Email" type="xs:string"/>
                <xs:element name="Number" type="xs:string"/>
              </xs:sequence>
            </xs:extension>
          </xs:complexContent>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element name="Med-devices-checkbox-e" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-e" maxOccurs="unbounded">
  <xs:complexType>
    <xs:sequence>
      <!-- 2.2.4.1 -->
      <xs:element name="Device-name" type="xs:string"/>
      <xs:element name="Device-description" type="xs:string"/>
      <xs:element name="Device-purpose" type="xs:string"/>
      <xs:element name="Device-classification" type="rdm:radiobutton"/>
      <xs:element name="Device-serial-no" type="xs:string"/>
      <xs:element name="sterile" type="rdm:yes-no"/>
      <xs:element name="measuring_function" type="rdm:yes-no"/>
      <xs:element name="reusable" type="rdm:yes-no"/>
      <!-- 2.2.4.2 -->
      <xs:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xs:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>
```

## eAF DES Change Summary

```
<!-- 2.2.4.3 -->
<xss:element name="confirm-compliance" type="rdm:yes-no"/>
<xss:element name="explain-no" type="xs:string"/>
<xss:element name="specify-yes" type="rdm:radiobutton"/>
<!-- 2.2.4.4 -->
<xss:element name="Contact-details">
  <xss:complexType>
    <xss:complexContent>
      <xss:extension base="rdm:contact-details-type">
        <xss:sequence>
          <xss:element name="Telephone" type="xs:string"/>
          <xss:element name="Email" type="xs:string"/>
          <xss:element name="Number" type="xs:string"/>
        </xss:sequence>
      </xss:extension>
    </xss:complexContent>
  </xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
<!-- 2.2.5 -->
<xss:element name="Companion-diagnostic">
  <xss:complexType>
    <xss:sequence>
      <xss:element name="companion-diagnosis-rb" type="rdm:yes-no"/>
      <xss:element name="sSections2_2_5_2-4" maxOccurs="unbounded">
        <xss:complexType>
          <xss:sequence>
            <xss:element name="Device-info" type="xs:string"/>
            <xss:element name="competent_Authority_planned" type="xs:string"/>
            <xss:element name="Notified-body">
              <xss:complexType>
                <xss:sequence>
                  <xss:element name="Contact-details">
                    <xss:complexType>
                      <xss:complexContent>
                        <xss:extension base="rdm:contact-details-type">
                          <xss:sequence>
                            <xss:element name="Telephone" type="xs:string"/>
                            <xss:element name="Email" type="xs:string"/>
                            <xss:element name="Number" type="xs:string"/>
                          </xss:sequence>
                        </xss:extension>
                      </xss:complexContent>
                    </xss:complexType>
                  </xss:element>
                </xss:sequence>
              </xss:complexType>
            </xss:element>
          </xss:sequence>
        </xss:complexType>
      </xss:element>
    </xss:sequence>
  </xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
```

## eAF DES Change Summary

```
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
```

# eAF DES Change Summary

## b. For VARIATION

### variations XSD changes:

(This is part of variations)

1)

**Original:**

```
<xs:element name="typeIAIN" type="rdm:yes-no"/>
<xs:element name="typeIA" type="rdm:yes-no"/>
<xs:element name="typeIBUnforeseen" type="rdm:yes-no"/>
<xs:element name="typeIBForeseen" type="rdm:yes-no"/>
<xs:element name="typeII" type="rdm:yes-no"/>
<xs:element name="typeIIArt29" type="rdm:yes-no"/>
<xs:element name="applicationType" type="rdm:radiobutton"/>
<xs:element name="includeLineExtension" type="rdm:yes-no"/>
<xs:element name="workshare" type="rdm:yes-no"/>
<xs:element name="igApplication" type="rdm:yes-no"/>
<xs:element name="indication" type="rdm:yes-no"/>
<xs:element name="paediatricIndication" type="rdm:yes-no"/>
<xs:element name="safety" type="rdm:yes-no"/>
<xs:element name="followingUrgentSafetyRestriction" type="rdm:yes-no"/>
<xs:element name="Quality" type="rdm:yes-no"/>
<xs:element name="AnnualVariation" type="rdm:yes-no"/>
<xs:element name="targetSpecies" type="rdm:yes-no"/>
<xs:element name="other" type="rdm:yes-no"/>
<xs:element name="covidSubstanceChange" type="rdm:yes-no"/>
<xs:element name="medicalDevice" type="rdm:yes-no"/>
<xs:element name="maHolder" maxOccurs="unbounded">
```

**Changed to:**

```
<xs:element name="typeIAIN" type="rdm:yes-no"/>
<xs:element name="typeIA" type="rdm:yes-no"/>
<xs:element name="typeIBUnforeseen" type="rdm:yes-no"/>
<xs:element name="typeIBForeseen" type="rdm:yes-no"/>
<xs:element name="typeII" type="rdm:yes-no"/>
<xs:element name="typeIIArt29" type="rdm:yes-no"/>
<xs:element name="applicationType" type="rdm:radiobutton"/>
<xs:element name="includeLineExtension" type="rdm:yes-no"/>
<xs:element name="workshare" type="rdm:yes-no"/>
<xs:element name="indication" type="rdm:yes-no"/>
<xs:element name="paediatricIndication" type="rdm:yes-no"/>
<xs:element name="safety" type="rdm:yes-no"/>
<xs:element name="followingUrgentSafetyRestriction" type="rdm:yes-no"/>
<xs:element name="Quality" type="rdm:yes-no"/>
<xs:element name="AnnualVariation" type="rdm:yes-no"/>
<xs:element name="targetSpecies" type="rdm:yes-no"/>
<xs:element name="other" type="rdm:yes-no"/>
```

## eAF DES Change Summary

```
<xss:element name="covidSubstanceChange" type="rdm:yes-no"/>
<xss:element name="medicalDevice" type="rdm:yes-no"/>
<xss:element name="maHolder" maxOccurs="unbounded">
```

2)

Added new section

<!-- 4d section -->

```
<xss:element name="VariationPurpose" minOccurs="0">
<xss:complexType>
<xss:sequence>
<!-- <xss:element name="not-applicable" type="rdm:yes-no"/> -->

<xss:element name="change-to-device">
<xss:complexType>
<xss:sequence>
<xss:element name="change-to-device-cb" type="rdm:yes-no"/>
<!-- type of device affected by this variation - checkboxes a,b,c,d,e -->
<xss:element name="Med-devices-checkboxes" maxOccurs="unbounded" minOccurs="0">
<xss:complexType>
<xss:sequence>
<xss:element name="Med-devices-checkbox-a" type="rdm:yes-no"/>
<xss:element name="Med-devices-subSections-a" maxOccurs="unbounded">
<xss:complexType>
<xss:sequence>
<!-- 2.2.4.1 -->
<xss:element name="Device-name" type="xs:string"/>
<xss:element name="Device-description" type="xs:string"/>
<xss:element name="Device-purpose" type="xs:string"/>
<xss:element name="Device-classification" type="rdm:radiobutton"/>
<xss:element name="Device-serial-no" type="xs:string"/>
<xss:element name="sterile" type="rdm:yes-no"/>
<xss:element name="measuring_function" type="rdm:yes-no"/>
<xss:element name="reusable" type="rdm:yes-no"/>

<!-- 2.2.4.2 -->
<xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
<xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

<!-- 2.2.4.3 -->
<xss:element name="confirm-compliance" type="rdm:yes-no"/>
<xss:element name="explain-no" type="xs:string"/>
<xss:element name="specify-yes" type="rdm:radiobutton"/>

<!-- 2.2.4.4 -->
<xss:element name="Contact-details">
<xss:complexType>
<xss:complexContent>
<xss:extension base="rdm:contact-details-type">
<xss:sequence>
<xss:element name="Telephone" type="xs:string"/>
<xss:element name="Email" type="xs:string"/>
<xss:element name="Number" type="xs:string"/>
</xss:sequence>
</xss:extension>
```

## eAF DES Change Summary

```
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Med-devices-checkbox-b" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-b" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <!-- 2.2.4.1 -->
            <xs:element name="Device-name" type="xs:string"/>
            <xs:element name="Device-description" type="xs:string"/>
            <xs:element name="Device-purpose" type="xs:string"/>
            <xs:element name="Device-classification" type="rdm:radiobutton"/>
            <xs:element name="Device-serial-no" type="xs:string"/>
            <xs:element name="sterile" type="rdm:yes-no"/>
            <xs:element name="measuring_function" type="rdm:yes-no"/>
            <xs:element name="reusable" type="rdm:yes-no"/>

            <!-- 2.2.4.2 -->
            <xs:element name="Device-manufacturer" type="rdm:radiobutton"/>
            <xs:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

            <!-- 2.2.4.3 -->
            <xs:element name="confirm-compliance" type="rdm:yes-no"/>
            <xs:element name="explain-no" type="xs:string"/>
            <xs:element name="specify-yes" type="rdm:radiobutton"/>

            <!-- 2.2.4.4 -->
            <xs:element name="Contact-details">
                <xs:complexType>
                    <xs:complexContent>
                        <xs:extension base="rdm:contact-details-type">
                            <xs:sequence>
                                <xs:element name="Telephone" type="xs:string"/>
                                <xs:element name="Email" type="xs:string"/>
                                <xs:element name="Number" type="xs:string"/>
                            </xs:sequence>
                        </xs:extension>
                    </xs:complexContent>
                </xs:complexType>
            </xs:element>
        </xs:sequence>
    </xs:complexType>
</xs:element>

<xs:element name="Med-devices-checkbox-c" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-c" maxOccurs="unbounded">
    <xs:complexType>
        <xs:sequence>
            <!-- 2.2.4.1 -->
            <xs:element name="Device-name" type="xs:string"/>
            <xs:element name="Device-description" type="xs:string"/>
            <xs:element name="Device-purpose" type="xs:string"/>
```

## eAF DES Change Summary

```
<xss:element name="Device-classification" type="rdm:radiobutton"/>
<xss:element name="Device-serial-no" type="xs:string"/>
<xss:element name="sterile" type="rdm:yes-no"/>
<xss:element name="measuring_function" type="rdm:yes-no"/>
<xss:element name="reusable" type="rdm:yes-no"/>

<!-- 2.2.4.2 -->
<xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
<xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

<!-- 2.2.4.3 -->
<xss:element name="confirm-compliance" type="rdm:yes-no"/>
<xss:element name="explain-no" type="xs:string"/>
<xss:element name="specify-yes" type="rdm:radiobutton"/>

<!-- 2.2.4.4 -->
<xss:element name="Contact-details">
  <xss:complexType>
    <xss:complexContent>
      <xss:extension base="rdm:contact-details-type">
        <xss:sequence>
          <xss:element name="Telephone" type="xs:string"/>
          <xss:element name="Email" type="xs:string"/>
          <xss:element name="Number" type="xs:string"/>
        </xss:sequence>
      </xss:extension>
    </xss:complexContent>
  </xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
</xss:element>

<xss:element name="Med-devices-checkbox-d" type="rdm:yes-no"/>
<xss:element name="Med-devices-subSections-d" maxOccurs="unbounded">
  <xss:complexType>
    <xss:sequence>
      <!-- 2.2.4.1 -->
      <xss:element name="Device-name" type="xs:string"/>
      <xss:element name="Device-description" type="xs:string"/>
      <xss:element name="Device-purpose" type="xs:string"/>
      <xss:element name="Device-classification" type="rdm:radiobutton"/>
      <xss:element name="Device-serial-no" type="xs:string"/>
      <xss:element name="sterile" type="rdm:yes-no"/>
      <xss:element name="measuring_function" type="rdm:yes-no"/>
      <xss:element name="reusable" type="rdm:yes-no"/>

      <!-- 2.2.4.2 -->
      <xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

      <!-- 2.2.4.3 -->
      <xss:element name="confirm-compliance" type="rdm:yes-no"/>
      <xss:element name="explain-no" type="xs:string"/>
      <xss:element name="specify-yes" type="rdm:radiobutton"/>
    </xss:sequence>
  </xss:complexType>
</xss:element>
```

## eAF DES Change Summary

```
<!-- 2.2.4.4 -->
<xss:element name="Contact-details">
  <xss:complexType>
    <xss:complexContent>
      <xss:extension base="rdm:contact-details-type">
        <xss:sequence>
          <xss:element name="Telephone" type="xs:string"/>
          <xss:element name="Email" type="xs:string"/>
          <xss:element name="Number" type="xs:string"/>
        </xss:sequence>
      </xss:extension>
    </xss:complexContent>
  </xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
</xss:element>

<xss:element name="Med-devices-checkbox-e" type="rdm:yes-no"/>
<xss:element name="Med-devices-subSections-e" maxOccurs="unbounded">
  <xss:complexType>
    <xss:sequence>
      <!-- 2.2.4.1 -->
      <xss:element name="Device-name" type="xs:string"/>
      <xss:element name="Device-description" type="xs:string"/>
      <xss:element name="Device-purpose" type="xs:string"/>
      <xss:element name="Device-classification" type="rdm:radiobutton"/>
      <xss:element name="Device-serial-no" type="xs:string"/>
      <xss:element name="sterile" type="rdm:yes-no"/>
      <xss:element name="measuring_function" type="rdm:yes-no"/>
      <xss:element name="reusable" type="rdm:yes-no"/>

      <!-- 2.2.4.2 -->
      <!-- check if Manufacture-contact-details is repeatable -->
      <xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

      <!-- 2.2.4.3 -->
      <xss:element name="confirm-compliance" type="rdm:yes-no"/>
      <xss:element name="explain-no" type="xs:string"/>
      <xss:element name="specify-yes" type="rdm:radiobutton"/>

      <!-- 2.2.4.4 -->
      <xss:element name="Contact-details">
        <xss:complexType>
          <xss:complexContent>
            <xss:extension base="rdm:contact-details-type">
              <xss:sequence>
                <xss:element name="Telephone" type="xs:string"/>
                <xss:element name="Email" type="xs:string"/>
                <xss:element name="Number" type="xs:string"/>
              </xss:sequence>
            </xss:extension>
          </xss:complexContent>
        </xss:complexType>
      </xss:element>
    </xss:sequence>
  </xss:extension>
</xss:complexContent>
</xss:complexType>
</xss:element>
```

## eAF DES Change Summary

```
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

<xs:element name="new-device">
<xs:complexType>
<xs:sequence>
<xs:element name="new-device-cb" type="rdm:yes-no"/>
<!-- type of device affected by this variation - checkboxes a,b,c,d,e -->
<xs:element name="Med-devices-checkboxes" maxOccurs="unbounded" minOccurs="0">
<xs:complexType>
<xs:sequence>
<xs:element name="Med-devices-checkbox-a" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-a" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<!-- 2.2.4.1 -->
<xs:element name="Device-name" type="xs:string"/>
<xs:element name="Device-description" type="xs:string"/>
<xs:element name="Device-purpose" type="xs:string"/>
<xs:element name="Device-classification" type="rdm:radiobutton"/>
<xs:element name="Device-serial-no" type="xs:string"/>
<xs:element name="sterile" type="rdm:yes-no"/>
<xs:element name="measuring_function" type="rdm:yes-no"/>
<xs:element name="reusable" type="rdm:yes-no"/>

<!-- 2.2.4.2 -->
<xs:element name="Device-manufacturer" type="rdm:radiobutton"/>
<xs:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

<!-- 2.2.4.3 -->
<xs:element name="confirm-compliance" type="rdm:yes-no"/>
<xs:element name="explain-no" type="xs:string"/>
<xs:element name="specify-yes" type="rdm:radiobutton"/>

<!-- 2.2.4.4 -->
<xs:element name="Contact-details">
<xs:complexType>
<xs:complexContent>
<xs:extension base="rdm:contact-details-type">
<xs:sequence>
<xs:element name="Telephone" type="xs:string"/>
<xs:element name="Email" type="xs:string"/>
<xs:element name="Number" type="xs:string"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:element>
```

## eAF DES Change Summary

```
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="Med-devices-checkbox-b" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-b" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<!-- 2.2.4.1 -->
<xs:element name="Device-name" type="xs:string"/>
<xs:element name="Device-description" type="xs:string"/>
<xs:element name="Device-purpose" type="xs:string"/>
<xs:element name="Device-classification" type="rdm:radiobutton"/>
<xs:element name="Device-serial-no" type="xs:string"/>
<xs:element name="sterile" type="rdm:yes-no"/>
<xs:element name="measuring_function" type="rdm:yes-no"/>
<xs:element name="reusable" type="rdm:yes-no"/>

<!-- 2.2.4.2 -->
<xs:element name="Device-manufacturer" type="rdm:radiobutton"/>
<xs:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

<!-- 2.2.4.3 -->
<xs:element name="confirm-compliance" type="rdm:yes-no"/>
<xs:element name="explain-no" type="xs:string"/>
<xs:element name="specify-yes" type="rdm:radiobutton"/>

<!-- 2.2.4.4 -->
<xs:element name="Contact-details">
<xs:complexType>
<xs:complexContent>
<xs:extension base="rdm:contact-details-type">
<xs:sequence>
<xs:element name="Telephone" type="xs:string"/>
<xs:element name="Email" type="xs:string"/>
<xs:element name="Number" type="xs:string"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

<xs:element name="Med-devices-checkbox-c" type="rdm:yes-no"/>
<xs:element name="Med-devices-subSections-c" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<!-- 2.2.4.1 -->
<xs:element name="Device-name" type="xs:string"/>
<xs:element name="Device-description" type="xs:string"/>
<xs:element name="Device-purpose" type="xs:string"/>
<xs:element name="Device-classification" type="rdm:radiobutton"/>
```

## eAF DES Change Summary

```
<xss:element name="Device-serial-no" type="xs:string"/>
<xss:element name="sterile" type="rdm:yes-no"/>
<xss:element name="measuring_function" type="rdm:yes-no"/>
<xss:element name="reusable" type="rdm:yes-no"/>

<!-- 2.2.4.2 -->
<xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
<xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

<!-- 2.2.4.3 -->
<xss:element name="confirm-compliance" type="rdm:yes-no"/>
<xss:element name="explain-no" type="xs:string"/>
<xss:element name="specify-yes" type="rdm:radiobutton"/>

<!-- 2.2.4.4 -->
<xss:element name="Contact-details">
  <xss:complexType>
    <xss:complexContent>
      <xss:extension base="rdm:contact-details-type">
        <xss:sequence>
          <xss:element name="Telephone" type="xs:string"/>
          <xss:element name="Email" type="xs:string"/>
          <xss:element name="Number" type="xs:string"/>
        </xss:sequence>
      </xss:extension>
    </xss:complexContent>
  </xss:complexType>
</xss:element>
</xss:sequence>
</xss:complexType>
</xss:element>

<xss:element name="Med-devices-checkbox-d" type="rdm:yes-no"/>
<xss:element name="Med-devices-subSections-d" maxOccurs="unbounded">
  <xss:complexType>
    <xss:sequence>
      <!-- 2.2.4.1 -->
      <xss:element name="Device-name" type="xs:string"/>
      <xss:element name="Device-description" type="xs:string"/>
      <xss:element name="Device-purpose" type="xs:string"/>
      <xss:element name="Device-classification" type="rdm:radiobutton"/>
      <xss:element name="Device-serial-no" type="xs:string"/>
      <xss:element name="sterile" type="rdm:yes-no"/>
      <xss:element name="measuring_function" type="rdm:yes-no"/>
      <xss:element name="reusable" type="rdm:yes-no"/>

      <!-- 2.2.4.2 -->
      <xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

      <!-- 2.2.4.3 -->
      <xss:element name="confirm-compliance" type="rdm:yes-no"/>
      <xss:element name="explain-no" type="xs:string"/>
      <xss:element name="specify-yes" type="rdm:radiobutton"/>
    </xss:sequence>
  </xss:complexType>
</xss:element>
```

## eAF DES Change Summary

```
<!-- 2.2.4.4 -->
<xss:element name="Contact-details">
  <xss:complexType>
    <xss:complexContent>
      <xss:extension base="rdm:contact-details-type">
        <xss:sequence>
          <xss:element name="Telephone" type="xs:string"/>
          <xss:element name="Email" type="xs:string"/>
          <xss:element name="Number" type="xs:string"/>
        </xss:sequence>
      </xss:extension>
    </xss:complexContent>
  </xss:complexType>
</xss:element>

<xss:element name="Med-devices-checkbox-e" type="rdm:yes-no"/>
<xss:element name="Med-devices-subSections-e" maxOccurs="unbounded">
  <xss:complexType>
    <xss:sequence>
      <!-- 2.2.4.1 -->
      <xss:element name="Device-name" type="xs:string"/>
      <xss:element name="Device-description" type="xs:string"/>
      <xss:element name="Device-purpose" type="xs:string"/>
      <xss:element name="Device-classification" type="rdm:radiobutton"/>
      <xss:element name="Device-serial-no" type="xs:string"/>
      <xss:element name="sterile" type="rdm:yes-no"/>
      <xss:element name="measuring_function" type="rdm:yes-no"/>
      <xss:element name="reusable" type="rdm:yes-no"/>

      <!-- 2.2.4.2 -->
      <xss:element name="Device-manufacturer" type="rdm:radiobutton"/>
      <xss:element name="Manufacture-contact-details" type="rdm:contact-details-type"/>

      <!-- 2.2.4.3 -->
      <xss:element name="confirm-compliance" type="rdm:yes-no"/>
      <xss:element name="explain-no" type="xs:string"/>
      <xss:element name="specify-yes" type="rdm:radiobutton"/>

      <!-- 2.2.4.4 -->
      <xss:element name="Contact-details">
        <xss:complexType>
          <xss:complexContent>
            <xss:extension base="rdm:contact-details-type">
              <xss:sequence>
                <xss:element name="Telephone" type="xs:string"/>
                <xss:element name="Email" type="xs:string"/>
                <xss:element name="Number" type="xs:string"/>
              </xss:sequence>
            </xss:extension>
          </xss:complexContent>
        </xss:complexType>
      </xss:element>
    </xss:sequence>
  </xss:extension>
</xss:complexContent>
</xss:complexType>
</xss:element>
```

## eAF DES Change Summary

```
</xs:sequence>
</xs:complexType>
</xs:element>

</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>

<!-- companion diagnostic -->
<xs:element name="Companion-diagnostic">
<xs:complexType>
<xs:sequence>
<xs:element name="companion-diagnosis-rb" type="rdm:yes-no"/>
<xs:element name="sSections2_2_5_2-4" maxOccurs="unbounded">
<xs:complexType>
<xs:sequence>
<xs:element name="Device-info" type="xs:string"/>
<xs:element name="competent_Authority_planned" type="xs:string"/>
<xs:element name="Notified-body">
<xs:complexType>
<xs:sequence>
<xs:element name="Contact-details">
<xs:complexType>
<xs:complexContent>
<xs:extension base="rdm:contact-details-type">
<xs:sequence>
<xs:element name="Telephone" type="xs:string"/>
<xs:element name="Email" type="xs:string"/>
<xs:element name="Number" type="xs:string"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>
</xs:element>
```

3)

*Original:*

```
<xs:element name="Signatory" type="rdm:signatory"/>
```

*Changed to:*

## eAF DES Change Summary

```
<xs:element name="Signatory">
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="rdm:signatory">
        <xs:sequence>
          <!-- new section under proof of payment -->
          <xs:element name="concern-other-Member-State" type="rdm:yes-no"/>
          <xs:element name="specify-yes" maxOccurs="unbounded">
            <xs:complexType>
              <xs:sequence>
                <xs:element name="country" type="rdm:control-term"/>
                <xs:element name="invented-name" type="xs:string"/>
                <xs:element name="submission-date" type="xs:date" minOccurs="0"/>
                <xs:element name="procedure-number" type="xs:string"/>
                <xs:element name="rbVariationStatus" type="rdm:radiobutton"/>
                <xs:element name="granting-date" type="xs:date" minOccurs="0"/>
                <xs:element name="refusal-date" type="xs:date" minOccurs="0"/>
                <xs:element name="withdrawal-date" type="xs:date" minOccurs="0"/>
              </xs:sequence>
            </xs:complexType>
          </xs:element>
        <!-- new section -->
        <!-- question1 -->
        <xs:element name="harmonisation-question1">
          <xs:complexType>
            <xs:sequence>
              <xs:element name="harmonised-ma" type="rdm:yes-no"/>
              <xs:element name="specify-yes" maxOccurs="unbounded">
                <xs:complexType>
                  <xs:sequence>
                    <xs:element name="procedure-number" type="xs:string"/>
                    <xs:element name="specify-section" type="xs:string"/>
                  </xs:sequence>
                </xs:complexType>
              </xs:element>
            </xs:sequence>
          </xs:complexType>
        </xs:element>
      <!-- question2 -->
      <xs:element name="harmonisation-question2">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="harmonisation-achieved-worksharing" type="rdm:yes-no"/>
            <xs:element name="specify-yes" maxOccurs="unbounded">
              <xs:complexType>
                <xs:sequence>
                  <xs:element name="procedure-number" type="xs:string"/>
                  <xs:element name="specify-section" type="xs:string"/>
                </xs:sequence>
              </xs:complexType>
            </xs:element>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:sequence>
  </xs:complexType>
</xs:element>
</xs:sequence>
```

## eAF DES Change Summary

```
</xs:extension>
</xs:complexContent>
</xs:complexType>
</xs:element>
```

# eAF DES Change Summary

## eAF\_dictionary XSD changes:

### For **SD-121617**

(This is part of eAF\_dictionary)

*Original:*

```
<xs:element name="ph-eur-cert">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="substance-certificate" type="rdm:substance-certificate"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

*Changed to:*

```
<xs:element name="ph-eur-cert">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="substance-certificate" type="rdm:substance-certificate" maxOccurs="unbounded"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

### For **SD-179089**

(This is part of eAF\_dictionary)

*Original:*

```
<xs:complexType name="shelf-life">
  <xs:sequence>
    <xs:element name="shelf-life-after-open" type="rdm:string30"/>
    <xs:element name="shelf-life-after-open-units" type="xs:string"/>
    <xs:element name="shelf-life-after-dilution" type="xs:string"/>
    <xs:element name="shelf-life-after-dilution-units" type="xs:string"/>
    <xs:element name="shelf-life-before-open" type="rdm:string30"/>
    <xs:element name="shelf-life-before-open-units" type="xs:string"/>
    <xs:element name="spfs" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="special-precaution-for-storage" type="rdm:control-term"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="spfsao" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="special-precaution-for-storage-after-open" type="rdm:control-term"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="spfsadr" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="special-precaution-for-storage-after-dilution-reconstitution" type="rdm:control-term"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
  </xs:sequence>
</xs:complexType>
```

## eAF DES Change Summary

```
</xs:element>
<xs:element name="shelf-life-duration" type="xs:string" minOccurs="0"/>
</xs:sequence>
</xs:complexType>
```

*Changed to:*

```
<xs:complexType name="shelf-life">
  <xs:sequence>
    <xs:element name="shelf-life-after-open" type="rdm:string30"/>
    <xs:element name="shelf-life-after-open-units" type="xs:string"/>
    <xs:element name="shelf-life-after-dilution" type="xs:string"/>
    <xs:element name="shelf-life-after-dilution-units" type="xs:string"/>
    <xs:element name="shelf-life-before-open" type="rdm:string30"/>
    <xs:element name="shelf-life-before-open-units" type="xs:string"/>
    <xs:element name="spfs" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="special-precaution-for-storage" type="rdm:control-term"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="spfsao" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="special-precaution-for-storage-after-open" type="rdm:control-term"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="spfsadr" maxOccurs="unbounded">
      <xs:complexType>
        <xs:sequence>
          <xs:element name="special-precaution-for-storage-after-dilution-reconstitution" type="rdm:control-term"/>
        </xs:sequence>
      </xs:complexType>
    </xs:element>
    <xs:element name="shelf-life-duration" type="xs:string" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```